## Uruchomienie usługi Comarch OCR

**Comarch OCR rozpoznaje jedno- i wielostronicowe faktury z pojedynczych oraz ze zbiorczych plików** (takich, w których zapisane są skany wielu faktur).

Maksymalny rozmiar pojedynczego pliku to 20 MB, maksymalny rozmiar pojedynczej strony wynosi 5MB, zaś maksymalna rozdzielczość jednej strony to 20 mln pikseli.

Uwaga

W przypadku współpracy Comarch DMS z <u>Comarch OCR</u> zalecamy, aby w Web.config w folderze z aplikacją serwerową (dawna web) wprowadzić pełną nazwę serwera licencji dla aplikacji Comarch DMS razem z nazwą instancji i numerem klucza.

Przyklad

serwer\instancja::1234567892.

**Pełną składnię trzeba użyć również wtedy, gdy na serwerze jest tylko jeden klucz.** W przeciwnym wypadku dla punktu konfiguracyjnego na zakładce ACD, który współpracuje z Comarch OCR może nie być możliwe włączenie procesowania dokumentów poprzez zaznaczenie parametru *Włącz procesowanie dokumentów*.

📓 *C:\inetpub\wwwroot\Standalone\Web.config - Notepad++ [Administrator] - 🗆 🗙						
Plik Edvcia Szukaj Widok Format Składnia Ustawienia Narzedzia Makra Uruchom Wtvczki Okno ? X						
😸 Web.config 🚨						
30	-	<th>ectionStrings&gt;</th> <th></th> <th></th> <th>~</th>	ectionStrings>			~
31	Þ	<appse<sup>-</appse<sup>	ttings>			
32		</th <th>Key settings used in single and multicompany mode <math>&gt;</math></th> <th></th> <th></th> <th></th>	Key settings used in single and multicompany mode $>$			
33		</th <th>"WorkMode" - definition of cooperation between Comarch DMS and ERP Optima - value = "Optima", ER</th> <th>RP XL</th> <th>- valu</th> <th>ie =</th>	"WorkMode" - definition of cooperation between Comarch DMS and ERP Optima - value = "Optima", ER	RP XL	- valu	ie =
34		<add< th=""><th>key="WorkMode" value="Standalone" /&gt;</th><th></th><th></th><th></th></add<>	key="WorkMode" value="Standalone" />			
35		</th <th>"MultiCompany" - definition of Comarch DMS working mode (single/multicompany) single = "false", m</th> <th>nultic</th> <th>company</th> <th>/ =</th>	"MultiCompany" - definition of Comarch DMS working mode (single/multicompany) single = "false", m	nultic	company	/ =
36		<add< th=""><th>key="MultiCompany" value="true" /&gt;</th><th></th><th></th><th></th></add<>	key="MultiCompany" value="true" />			
37		</th <th>"MaximumNumberOfControlCardColumns" - definition of maximum column number on flow chart which wil</th> <th>ll be</th> <th>availa</th> <th>able</th>	"MaximumNumberOfControlCardColumns" - definition of maximum column number on flow chart which wil	ll be	availa	able
38		<add< th=""><th><pre>key="MaximumNumberOfControlCardColumns" value="4" /&gt;</pre></th><th></th><th></th><th></th></add<>	<pre>key="MaximumNumberOfControlCardColumns" value="4" /&gt;</pre>			
39		<add< th=""><th>key="PremiumFunctionality" value="true" /&gt;</th><th></th><th></th><th></th></add<>	key="PremiumFunctionality" value="true" />			
40		</th <th>"LicenceKeyServerDMS" - it is necessary to enter server licence name and key for Comarch DMS appl</th> <th>Licati</th> <th>on:</th> <th>*</th>	"LicenceKeyServerDMS" - it is necessary to enter server licence name and key for Comarch DMS appl	Licati	on:	*
41		<add< th=""><th>key="LicenceKeyServerDMS" value="NBJKOWALSKI\SQL::1234567892" /&gt;</th><th></th><th></th><th></th></add<>	key="LicenceKeyServerDMS" value="NBJKOWALSKI\SQL::1234567892" />			
42		</th <th>"ShowChangeLanguage" - enable option allowing for choosing language used in Comarch DMS applicate</th> <th>ion, e</th> <th>enabled</th> <th>1 =</th>	"ShowChangeLanguage" - enable option allowing for choosing language used in Comarch DMS applicate	ion, e	enabled	1 =
43		<add< th=""><th>key="ShowChangeLanguage" value="true" /&gt;</th><th></th><th></th><th></th></add<>	key="ShowChangeLanguage" value="true" />			
44		</th <th>="UseStrongPassword" - forces to use stron passwords policy by Comarch DMS operators, enabled = '</th> <th>'true'</th> <th>', desa</th> <th>able</th>	="UseStrongPassword" - forces to use stron passwords policy by Comarch DMS operators, enabled = '	'true'	', desa	able
45		<add< th=""><th>key="UseStrongPassword" value="false" /&gt;</th><th></th><th></th><th></th></add<>	key="UseStrongPassword" value="false" />			
46		</th <th>"ExternalRegistrationEnabled" - allows user to register account in Comarch DMS, enabled="true", o</th> <th>lisabl</th> <th>.ed = '</th> <th>'fal</th>	"ExternalRegistrationEnabled" - allows user to register account in Comarch DMS, enabled="true", o	lisabl	.ed = '	'fal
47		<add< th=""><th>key="ExternalRegistrationEnabled" value="true" /&gt;</th><th></th><th></th><th></th></add<>	key="ExternalRegistrationEnabled" value="true" />			
48		</th <th>"TaxpayerIdRequired" - requires specifying TaxPayer Identification Number, enabled="true", disabl</th> <th>led="f</th> <th>alse"</th> <th>&gt;</th>	"TaxpayerIdRequired" - requires specifying TaxPayer Identification Number, enabled="true", disabl	led="f	alse"	>
49		<add< th=""><th>key="TaxPayerIdRequired" value="false" /&gt;</th><th></th><th></th><th></th></add<>	key="TaxPayerIdRequired" value="false" />			
50		</th <th>"PersonalDataProcessingConsentRequired" - consent to the processing of personal data is required</th> <th>durir</th> <th>ng reg:</th> <th>isti</th>	"PersonalDataProcessingConsentRequired" - consent to the processing of personal data is required	durir	ng reg:	isti
51		<add< th=""><th>key="PersonalDataProcessingConsentRequired" value="false" /&gt;</th><th></th><th></th><th></th></add<>	key="PersonalDataProcessingConsentRequired" value="false" />			
52		</th <th>"WorkingConditionsAcceptanceRequired" - requires user to accept working conditions during regis</th> <th>strati</th> <th>on, en</th> <th>1abl</th>	"WorkingConditionsAcceptanceRequired" - requires user to accept working conditions during regis	strati	on, en	1abl
53		<add< th=""><th>key="WorkingConditionsAcceptanceRequired" value="false" /&gt;</th><th></th><th></th><th></th></add<>	key="WorkingConditionsAcceptanceRequired" value="false" />			
54		</th <th>"DocumentListDateRange" - possibility to define filter limiting the search of documents for which</th> <th>n tran</th> <th>sferr:</th> <th>ing</th>	"DocumentListDateRange" - possibility to define filter limiting the search of documents for which	n tran	sferr:	ing
55		</th <th>Independently of the setting, an operator can delete or modify the defined filter. If you set the</th> <th>e valu</th> <th>ue on (</th> <th>), t</th>	Independently of the setting, an operator can delete or modify the defined filter. If you set the	e valu	ue on (	), t
56		<add< th=""><th><pre>key="DocumentListDateRange" value="60" /&gt;</pre></th><th></th><th></th><th><math>\sim</math></th></add<>	<pre>key="DocumentListDateRange" value="60" /&gt;</pre>			$\sim$
<						>
eXtensible Markup Language file length : 22,345 lines : 288 Ln : 41 Col : 58 Pos : 4,437 Windows (CR LF) UTF-8-BOM IN						

Wprowadzanie pełnej nazwy serwera licencji dla aplikacji Comarch DMS – przykład

Aby uruchomić Comarch OCR, należy kolejno:

1. przejść na zakładkę Automatyczne generowanie dokumentów ႄႄႍ w aplikacji desktop Comarch DMS

2. zdefinować punkt konfiguracyjny we współpracy z Comarch DMS, jak opisano w artykule <u>Definiowanie punktu</u> konfiguracyjnego.

Po zapisaniu punktu konfiguracyjnego, przy pierwszej próbie skorzystania z Comarch OCR, pojawi się wykrzyknik z linkiem do potwierdzenia zgody.

Aby usługa została uruchomiona należy zapoznać się z regulaminem, uzupełnić dane i potwierdzić zgodę. Jeśli zgoda została już udzielona w ramach skorzystania z Comarch OCR z poziomu innego programu Comarch ERP, nie jest konieczna ponowna zgoda i link nie powinien się pojawić w DMS.

Każdy Klient może jednorazowo skorzystać z pakietu DEMO (50 dokumentów na okres jednego miesiąca). Aby go uruchomić wystarczy udzielić wspomnianej powyżej zgody . Po wykorzystaniu pakietu testowego, możliwe jest jego powiększenie. Cennik usługi dostępny jest na stronie: https://www.comarch.pl/ocr/ .

Kiedy usługa została uruchomiona, a pliki przesłane do Comarch OCR, rozpoznane z plików dokumenty są widoczne na liście (zob. <u>Przetwarzanie dokumentów przez usługę Comarch</u> <u>OCR</u>).

Rozpoczynasz pracę z Comarch DMS i chcesz dowiedzieć się, jak korzystać z programu? A może masz już podstawową wiedzę o Comarch DMS i chcesz dowiedzieć się więcej?

Sprawdź Szkolenia Comarch DMS!

Powrót do początku artykułu